UNITED STATES DISTRICT COURT FOR THE DISTRICT OF MASSACHUSETTS

THE HIPSAVER COMPANY, INC.,) Civil Action No. 05-10917 PBS
Plaintiff,)
v.)
J.T. POSEY COMPANY,)
Defendant.)
)

APPENDIX OF EXHIBITS IN SUPPORT OF J.T. POSEY COMPANY'S
OPPOSITION TO THE HIPSAVER COMPANY, INC.'S (1) MOTION
FOR SUMMARY JUDGMENT TO DISMISS J.T. POSEY'S COUNTERCLAIMS;
AND (2) MOTION FOR PARTIAL SUMMARY JUDGMENT FOR LITERALLY
FALSE ADVERTISING

Dated: January 8, 2007

Exhibit No.	Description
1	Collective Exhibit of J.T. Posey Advertising [Exhibit 1 to HipSaver's Motion], renumbered 1.01 to 1.39.
2	Screen Shot from J.T. Posey Hipsters III Videotape [Exhibit 2 to HipSaver's Motion], renumbered 2.01.
3	Posey Hipsters Sales Flyer (Second Generation), Part No. M6023
4	Posey 2002 Care Alternatives Division, Patient Safety and Restraints Catalog – Alternative Cover Page and page 25
5	Posey Tight Rope Walker Flyer (Second Iteration), Part No. M6079
6	Posey Tight Rope Walker Flyer (Third Iteration), Part No. M6079
7	Posey Tight Rope Walker Flyer (Sixth Iteration), Part No. M6079
8	Posey Hipsters Product Instruction Sheet, Part No. M6139
9	Posey Hipsters Product Instruction Sheet, Part No. M6139
10	Transcript of Hearing on July 12, 2005
11	Rebuttal Expert Report of Edward Ebramzadeh (Confidential – Filed Separately Under Seal)
12	Excerpts from the Deposition of Victoria Lewis, taken December 15, 2005
13	Excerpts from the Deposition of Edward L. Goodwin, taken October 18, 2005 and March 3, 2006

Respectfully submitted,

J.T. POSEY COMPANY

By its attorneys,

/s/ Douglas H. Morseburg

Jeffrey G. Sheldon (CA Bar No. 67516)

Douglas H. Morseburg (CA Bar No. 26205)

SHELDON MAK ROSE & ANDERSON 225 South Lake Avenue, Suite 900 Pasadena, CA 91001 (626) 796-4000

Anthony J. Fitzpatrick (BBO # 564324) DUANE MORRIS LLP 470 Atlantic Avenue, Suite 500 Boston, MA 02210 (617) 289-9200

CERTIFICATE OF SERVICE

I certify that this document has been filed through the Electronic Case Filing System of
the United States District Court for the District of Massachusetts and will be served
electronically by the court to the Registered Participants identified in the Notice of Electronic
filing.


/s/ Donald K. Piper
Donald K. Piper

January 8, 2007

EXHIBIT 1

PART 1

POSEY HIPSTERS HELP PROTECT AGAINST INJURY FROM FALLS



It's a long way down for residents at risk of injury from falls. You can greatly reduce that risk with Posey Hipsters. The Hipsters' high energy-absorbing foam pads are positioned precisely over the hip bones, increasing the odds of surviving a fall uninjured. The Hipsters are comfortable and slim enough to be virtually undetectable under clothing. By offering increased protection, Hipsters relieve residents' anxiety about falling and enhance their quality of life.

- High impact-absorbing viscoelastic pads protect hip bones against injury from falls
- Soft, comfortable pads improve compliance versus hard-shelled products
- **■** Washable to CDC standards for soiled linen without removing the pads
- 100% latex-free
- Five sizes for correct fit
- Discreet, low-profile pads are virtually undetectable under clothing




Low Profile -All styles fit discreetly under men's and women's clothing.



Posey Hipsters Proven Effective in Laboratory Test

An independent laboratory study was conducted to determine the most effective impact absorbing material. A test was created that would simulate a fall causing direct impact to the greater trochanter. In this study, a weight was released in a guided drop to simulate a 120 lb. subject falling from a height of 36°, or the estimated height of the hip above the floor for a typical nursing home resident. The baseline measurement of impact force was determined to be a fall directly onto concrete. The G-Force of a fall under this scenario was 2,660G's and, for purposes of comparison, is just slightly less impact force than that of a baseball being struck by a bat. In this extreme test, the low profile Posey Hipster reduced the impact force on average by 90% and showed excellent impact energy absorption.



Testing was conducted by Garwood Laboratories.

Data on file at J.T. Posey Company 'Source: www.madsci.org

Special offer: 30-day no-risk free trial.

Test the Posey Hipsters for yourself with no obligation to buy.

Clinical References Supporting the Use of Hip Protectors

External Hip Protectors to Prevent Osteoporotic Hip Fractures

Author: A. Ekman, H. Mallman, K. Michaelsson, S. Ljunghall Publication: The Lancet, volume 350, August 23, 1997

Study Objectives: Elman and colleagues conducted a controlled smay on the use of hip protection to present hip fractures. One especiation was to

either continued dispusse the 1993 seported findings of J.B. Lauritzen and colleagues in "Effect of external hip protectors on highertness."

Results: The use of hip protectors as preventative treatment for hip fractures was validated. "Our study confirms a reduced risk for

his fractures of the same magnitude as the previous report."

Recommendations. With improved compliance, external hip protectors should be an effective prophylactic against hip fractures."

Title: Prevention Of Hip Fracture in Elderly People

bathor, Tekin Kannos, M.D. Ph.D., et al.

Publication: The New England Journal of Medicine, Vol. 343, No. 21, November 21, 2000

Study Objectives. The purpose of this study was 'to determine whether an external hip protector would be effective to preventing hip

fractures among ciderity adults." The study population was comprised of elderly adults from 22 community based.

braids east centers in Finland, a treatment group of 653 and a control group of 1,146 participants.

Results The degree of compliance with the hip protector was 48 ± 29%. The hip protector group suffered 13 hip fractures 9 of which occurred while not wearing the hip protector compared to 67 hip fractures in the control group.


Recommendations. "We conclude that the risk of hip fractures can be reduced in first elderly adults its ough the use of an anatomically

designed external hip protector. Only 41 persons need to use the hip protector for one year for 8 persons, for five

years) in order for one fracture to be prevented.

Posey Hipsters Proven Effective in Laboratory Test

An independent laboratory study was conducted to determine the most effective impact absorbing traterial as of fully 2001. A least was created that would simulate a fall causing direct impact to the greater mechanist. In this study, a weight was released in a guided drop to stimulate a 120th subject falling from a length of 36°, or the estimated height of the hip above the fivor for a typical musting home resident. The baseline measurement of impact force was determined to be a fall directly onto concrete. The G-Force of a fall under this scenario was 2,0000 and, for putposes of comparison, is just slightly less impact force than that of a baseball being struck by a bat. In this extreme test, the low profile Posey Hipser reduced the impact force by 90% and showed excellent impact energy absorption.



PC 3009

Testing was conducted by Garwood Laboratones, July 2001. Date on file at J.T. Posey Company "Source: www.martscton."


J. I. Posey Company, 5635 Peck Road, Arcadia, CA 91006-0020 . Phone 800-447-6739 . Fax 800-767-3933 . www.posey.com

MESTA DATES


Case 1:05-cv-10917-PBS Document 189-2 Filed 01/08/2007 Page 4 of 5
Case 1:05-cv-10917-PBS Document 156-3 Filed 12/11/2006 Page 2 of 3

Posey Hipsters Proven Effective in Laboratory Test

An independent laboratory study was conducted to determine the most effective impact absorbing material as of July 2001. A test was created that would simulate a fall causing direct impact to the greater trochanter. In this study, a weight was released in a guided drop to simulate a 120lb subject falling from a height of 36", or the estimated height of the hip above the floor for a typical nursing home resident. The baseline measurement of impact force was determined to be a fall directly onto concrete. The G-Force of a fall under this scenario was 2,660G's and, for purposes of comparison, is just slightly less impact force than that of a baseball being struck by a bat. In this extreme test, the low profile Posey Hipster reduced the impact force by 90% and showed excellent impact energy absorption.



Testing was conducted by Clarwood Laboratories, July 2001. Data on file at J.T. Posey Company "Source: www.madsci.org."



"In an independent laboratory test designed to simulate a fall causing direct impact to the greater trochanter, the Posey Hipster III reduced the impact force by 90%, the best results of any hip protector available."

EXHIBIT 1

PART 2

From:

Jeffrey Yates

Sent:

Friday, July 27, 2001 5:30 PM

To:

'Robert.Weaver2@med.va.gov'; Gary Platzman

Subject:

Dorene.Opava-Rutter@med.va.gov; Vicky Walters; Ernie Posey, 'jim.mcfall@med.va.gov' Impact Data regarding Posey Hipsters



HipsterIII VA.doc

Greetings,

Thank you for your message Bob.

Attached to this email is an outline of the impact tests that were recently completed on the New Posey Hipster III product. The New Posey Hipster III absorbs 90% of the impact force of a fall (27% better performance than the current Hipster product).

Manufacturing will begin in a few weeks and I expect we will be in-stock and ready to ship near the end of August.

Vicky and I would like to meet with you early next week to review this study, present the falls research papers we have collected and most importantly, discuss the correlation of the data from the 1994 and 1999 Finnish and studies to the laboratory tests completed on our product this week through an independent testing facility.

If you are in agreement with the test results, Vicky and I would like to work with you on test protocols for a clinical trial on this product and any other products of interest. As Gary and I mentioned during our visit, Posey will provide a reasonable quantity of the Hipster III for clinical trials at NO COST. This is how confident we are that the new Posey Hipster III is the best energy absorbing external hip protector on the market.

I left voicemails for Dr. Rutter and Bob Weaver today (7/27) and will follow-up with another call on Monday to confirm receipt of this email.

I hope you have/had a great weekend.

Jeffrey Yates Director of Marketing J.T. Posey Company 5635 Peck Road Arcadia, CA 91006 (626) 443-3143 x102 (626) 443-5064 - Fax jyates@posey.com



Posey (Company

Arcadia, CA 91006-0020 USA Web: www.posey.com

Victoria Walters Product Manager Tel: (626) 443-3143 Ext. 181 Fax: (626) 443-5064 Email: vwalters@posey.com

Posey Impact Test Results July 26, 2001


The graph below depicts the level of impact reduction from different commercially available hip protector products sold in the US when tested according to the following protocol.

- Tests were conducted using a guided drop tower
 - missile weight = 72.5lbs
 - contact surface = 6 inches in diameter
 - drop height 28.5 inches
- 1. Three drops per specimen

For Indentification

- 2. Three-minute recovery time between drops
- 3. All measurements were recorded in G-Force
- 4. A baseline of 2,660G was used to measure impact absorption. We estimate that 2,660G's is the approximate impact force to the area of the greater trochanter for a 120lb person falling from a height of 36".

Hip Protector Impact Reduction Rate Comparison



Denise Herft, CSR 1298? Manufacturers and worldwide distributors of quality healthcare products since 1937

> CONFIDENTIAL ATTY'S EYES ONLY

Document 156-4

Filed 12/11/2006


Page 4 of 6




FALL PREVENTION

POSEY HIPSTER-III

Indications: Patients at risk for falling; those at risk for hip fracture.






Several studies have documented the efficacy of external hip protectors in preventing hip fractures. The Posey Hipster III features impact absorbing pads over the critical fracture area to help minimize potential damage, including hip fractures that can occur from a fall. The brief is made from comfortable poly-cotton-Lycra® with a low-profile pad positioned over each hip. These low profile pads are sawn into a slim fitting brief allowing the Hipster III to be discreetly worn under clothing. The one-piece design allows for easy home or institutional laundering.

Hipster III is available in two styles; standard unisex and incontinent models. The standard unisex brief easily slips on over undergarments or can be worn as underwear. The incontinent brief features a snap front for easier application over adult diapers. The Hipster III fits comfortably around the patient's waist and features a latex-free clastic waisthand. 47% polyester, 47% cotton, 6% Lycra. Latex-free.

6016 6017	Hipster (Replaces Post Hipsters	a III Standard Brief p 86010 unisez Hipster brief) III Incontinent Brief Oll Incontinent Hipster II brief)
SESTER S	SERVICE SERVICE SERVICE	TENER SIZE OF STREET
S M L XL XXL	28-30" 32-34" 36-38" 40-42" 44-46"	35-37" 39-41" 45-45" 47-49" 51-53"



Low Profile - Both styles fit discreetly under clothing.



1-800-44-POSEY

800-767-3933 fax

25

Document 156-4


Filed 12/11/2006

Page 5 of 6



Rosey Elipsters

elam cercymanthapproficeimpeancemantients.





#6017 Incontinent Brief



Posey Hipsters can be worn discreetly under clothing

- Soft foam pads help minimize potential damage that can occur from a fall.
- Low profile, '/1" thick pads allow the Hipster to be virtually undetectable under clothing.
- Discreet low-profile pads with soft foam help improve patient compliance.
- NO ASSEMBLY REQUIRED Completely launderable according to CDC standards for soiled linen WITHOUT removing the pads.
- 100% Larex Free
- Incontinent brief features a snap front for easier application over adult diapers. May also be worn as a male fly model.
- * Available in five sizes to ensure proper fit.

5 28" - 30" 35" - 37 M 32" - 34" 39" - 41 1 36" - 38" 43" - 45		1	Walst Measurement	Size
	37"		28" - 30"	5
76" 20" 43" 4	4)"		32" - 34"	М
L 1 39 30 13 13 13 13 13 13 13 13 13 13 13 13 13	45*		36"- 38"	ı.
32 40"-42" 47" 46	49"		40"- 42"	32

POSEYCA

Cose Alternatives Division

For more information or to place an order, contact you Puscy District Manager or call 1-800-44-POSEY

EXHIBIT 1

PART 3


Document 156-4

Filed 12/11/2006

Page 6 of 6...

Posey Hipsters Proven Effective in Laboratory Test

An independent laboratory study was conducted to determine the most effective impact absorbing material as of July 2001. A test was created that would simulate a fall causing direct impact to the greater trochanter. In this study, a weight was released in a guided drop to simulate a 120th subject falling from a height of 36", or the estimated height of the hip above the floor for a typical nursing home resident. The baseline measurement of impact force was determined to be a fall directly onto concrete. The G-Force of a fall under this scenario was 2,6600's and, for purposes of comparison, is just slightly less impact force than that of a baseball being struck by a bat. In this extreme test, the low profile Posey Hipster reduced the impact force by 90% and showed excellent impact energy absorption.



Testing was conducted by Garwood Leboratories, July 2001. Date on the at J.T. Possy Compan "Source: www.madsci.org

Clinical References Supporting the Use of Hip Protectors

Title:

Author: Publication: External Bip Protectors to Prevent Osteoporotic Rip Fractures

A. Ekman, H. Mallmin, K. Michaelsson, S. Ljunghall The Lancet, volume 350, August 23, 1997

Eleman and colleagues conducted a controlled study on the use of hip presention to prevent hip fractures. One expectation was to either confirm or disprove the Lauritzen and colleagues 1993 reported findings.

The use of hip protectors as preventative meanment for hip fractures was validated. "Our study confirms a reduced risk for hip fractures of the same magnitude as the previous report."

Title: Author: Prevention Of Hip Fracture in Elderly People

Pekka Kannus, M.D., Ph.D., et al.

Publication:

The New England Journal of Medicine, Vol. 343, No. 21, November 21, 2000

Study Objectives:

The purpose of this study was "to determine whether an external hip protector would be effective in preventing hip fractures among elderly adults." The study population was comprised of elderly adults from 22 community based health-care centers in Finland; a treatment group of 653 and a control group of 1,148 participants.

Results:

The degree of compliance with the hip protector was 48 ± 29%. The hip protector group suffered 13 hip fractures. 9 of which occurred while not wearing the hip protector, compared to 67 hip fractures in the control group.

Recommendations: "We conclude that the risk of hip fractures can be reduced in faul elderly adults through the use of an anatomically designed external hip protector. Disign

J.T. Posey Company, 5635 Peck Road, Accadia, CA 91006-0020 • Phone 800-447-6739 • Fax 800-767-3933 • www.posey.com

346023 110201

POSEY**CA**Care Alternatives Division

Case 1:05-cv-10917-PBS

2002 Restraint Alternatives

Document 156-5

Filed 12/11/2006


Page 3 of 5




FALL PREVENTION

POSEY HIPSTER-III

Indications: Patients at risk for falling; those at risk for hip fracture.







Several studies have documented the efficacy of external hip protectors in preventing hip fractures. The Posey Hipster III features impact absorbing pads over the critical fracture area to help minimize potential damage, including hip fractures that can occur from a fall. The brief is made from comfortable poly-cotton-Lycra* with a low-profile pad positioned over each hip. These low-profile pads are sewn into a slim fitting brief allowing the Hipster III to be discreetly worn under clothing. The one-piece design allows for easy home or institutional laundering.

Hipster III is available in two styles; standard unisex and incontinent models. The standard unisex brief easily slips on over undergarments or can be worn as underwear. The incontinent brief features a snap front for easier application over adult diapers. The Hipster III fits comfortably around the patient's waist and features a latex-free clastic waisthand. 47% polyester, 47% cotton, 6% Lycra. Latex-free.

ĺ	ie vyn	THE RESERVE OF THE PROPERTY OF THE PERSON OF
	6016 6017	Hipsters III Standard Brief (Replaces Fosey \$6010 unisex Hipster brief) Hipsters III Incontinent Brief (Replaces Fosey \$6011 Incontinent Hipster II brief)
	de din	With the Real State of the Real
	S L XL XXL	28-30" 35-37" 33-34" 38-41" 36-38" 41-45" 40-42" 47-49" 44-46" 51-63"



Low Profile - Both styles fit discreetly under clothing.



1-800-44-POSEY

800-767-3933 fax

PC 1030

25

POSEY CA

2

*

0

POSEYCA

2



PATIENT SAFETY DIVISION

Document 156-5

Filed 12/11/2006


Page 5 of 5




FALL PREVENTION

POSEY HIPSTER III

Indications: Patients at risk for falling; those at risk for hip fracture.






Several studies have documented the efficacy of external hip protectors in preventing hip fractures. The Posey Hipster III features impact absorbing pads over the critical fracture area to belp minimize impact assorting pairs over the critical tracture area to neip minimize potential damage, including hip fractures that can occur from a fall. The brief is made from comfortable poly-cotton-Lycra® with a low-profile pad positioned over each hip. These low profile pads are sewn into a slim fitting brief allowing the Hipster III to be discreetly worn under clothing. The one-piece design allows for easy home or institutional lower design. tional laundering.

Hipster III is available in two styles; standard unisex and incontinent models. The standard unisex brief easily slips on over undergarments or can be worn as underwear. The incontinent brief features a snap front for easier application over adult diapers. The Hipster III fits comfortably around the patient's waist and features a latex-free elastic waisthand. 47% polyester, 47% cotton, 6% Lycra. Latex-free.

6015 Hipsters III Standard Belef (Replaces Poscy #6010 unisex Hipster brief) Hipsters III Incontinent Belef (Replaces Poscy #6011 incontinent Hipster II bri				
SIZE	WALST SIZE	TO SOME STATE OF THE STATE OF T		
HFF	28-30" 32-34" 36-38" 40-42" 41-40"	3537* 3841* 4545* 4749* 5153*		



Low Profile - Both styles fit discreetly under clothing.



in a funded drop to smulate \$1.20 hr subject talking from a heaght of the partial drop to smulate \$1.20 hr subject talking from a heaght of the partial drop in the estimated height of the hip above the floor for a typical during nome arcsident. The passinic measurement of impact force was determined to be a fall directly onto contente. The G-Force of a fall under this scenario was 2,660 G's and, for purposes of comparison, is just slightly less impact force than a basefull being struck by a bat. In this extreme test, the low profile Posey Hipster III reduced the impact force than a passing the profile that the post of the impact force than a passing the profile passing the profile passing the post of the fince by 90% and showed excellent impact energy absorption.

1-800-44-POSEY

800-767-3933 fax


EXHIBIT 1

PART 4

Document 156-6

Filed 12/11/2006 Page 2 of 7

FOR SOME RESIDENTS, EVERY FALL IS A BIG ONE.



POSEY HIPSTE

It's a long way down for residents at risk of injury from falls. You can greatly reduce that risk with Posey Hipsters. High energy-absorbing, viscoelastic foam pads built into Hipsters increase the odds of surviving a fall uninjured. They are comfortable and slim enough to be virtually and slim enough to be virtually undetectable beneath clothing.


By offering increased protection, Hipsters relieve residents' anxiety about falling and enhance their quality of life.



IMPACT REDUCED BY 90%

An independent laboratory study simulated the fall of a 120-lb object onto concrete from a height of 36". Posey Hipster pads reduced the impact force by 90%.

Data on file at J.T. Posey Company.



SPECIAL OFFER: 30-day no-obligation free trial.


Test the new Hipster for yourself at no charge. Call or visit our Website today to start your free trial.

POSEYCA Care Alternatives Division


Fall Protection That Fits

J.T. Posey Company, 5635 Peck Road, Arcadia, CA 91006-0020 www.posey.com 1-800-44-POSEY

CATLRF03 091702




FOR SOME RESIDENTS, EVERY FALL IS A BIG ONE



POSEY CA Care Alternatives Division

POSEY HIPSTERS PROTECT AGAINST INJURY FROM FALLS




- High impact-absorbing viscoelastic pads protect hip bones against injury from falls
- Soft, comfortable pads improve compliance versus hard-shelled products
- Washable to CDC standards for soiled linen without removing the pads
- B 100% latex-free
- B Five sizes for correct fit
- Discreet, low-profile pads are virtually undetectable under clothing



Low Profile -All styles fit discreetly under men's and women's clothing. It's a long way down for residents at risk of injury from falls. You can greatly reduce that risk with Posey Hipsters. The Hipsters' high energy-absorbing foam pads are positioned precisely over the hip bones, increasing the odds of surviving a fall uninjured. The Hipsters are comfortable and slim enough to be virtually undetectable under clothing. By offering increased protection, Hipsters relieve residents' anxiety about falling and enhance their quality of life.

PROVEN IMPACT REDUCTION In an independent laboratory, simulating a fall from a height of 36 inches, the Hipsters reduced the impact force by over 90%.




Testing was conducted by Garwood Laboratories, July 2001. Data on file at J.T. Posey Company

POSEY CA Care Alternatives Division

PC 1807

Special offer 30 day north thee that nelsow there is governorth modification conv.



Filed 01/08/2007 Page 6 of 7

Filed 12/11/2006 Page 6 of 7 #6016 HIPSTERS STANDARD BRIEF


- Easily fits on over undergarments, or can be worn as underwear.
- Unisex sizing

#6017 INCONTINENT BRIEF

- Snap front for easier application over diaper
- Unisex sizing

#6018 MALE FLY BRIFF

- Easily fits on over undergarments, or can be worn as underwear
- Fly front for improved compliance in male residents



Case 1:05 cv 10917-PBS Document 156 6 Filed 12/11/2006 Page 7 of 7 Clinical References Supporting the Use of Hip Protectors

Title: Author: Publication: External Hip Rrotectors to Prevent Osteoporotic Hip Fractures

A. Ekman, H. Mallmin, K. Michaëlsson, S. Ljunghall The Lancet, volume 350, August 23, 1997

Study Objectives:

Ekman and colleagues conducted a controlled study on the use of hip protection to prevent hip fractures. One expectation was to either confirm or disprove the 1993 reported findings of J.B. Lauritzen and colleagues in "Effect of external hip protectors on hip fractures."

Results:

The use of hip protectors as preventative treatment for hip fractures was validated. "Our study confirms a reduced risk for hip fractures of the same magnitude as the previous report."

Recommendations:

We the process of the plants before the proposition of the specific process of the process of th

Title:

Prevention Of Hip Fracture in Elderly People

Author:

Pekka Kannus, M.D., Ph.D., et al

Publication:

The New England Journal of Medicine, Vol. 343, No. 21, November 21, 2000

Study Objectives:

The purpose of this study was "to determine whether an external hip protector would be effective in preventing hip fractures among elderly adults." The study population was comprised of elderly adults from 22 community based health-care centers in Finland; a treatment group of 653 and a control group of 1,148 participants.

Results:

The degree of compliance with the hip protector was $48 \pm 29\%$. The hip protector group suffered 13 hip fractures, 9 of which occurred while not wearing the hip protector, compared to 67 hip fractures in the control group.

Recommendations:

"We conclude that the risk of hip fractures can be reduced in frail elderly adults through the use of an anatomically designed external hip protector.

Please detach and fax to 1-800-767-3933, or call us at 1-800-44-POSEY to start your trial

yes!

I want to take advantage of your 30-day trial offer. Please have a representative call me to discuss Posey Hipsters.



Name				
Title			•	
Institution				
Address				
City		State	Zíp	
Telephone ()	4.47	Best time to call	am	pm

Fax or mail to:



J.T. Posey Company Attn: Marketing Dept. 5635 Peck Road Arcadia, CA 91006-0020 Fax 800-767-3933

PC 1809

M6079 121302

EXHIBIT 1


PART 5

Filed 12/11/2006





nogodeels your danon



#6016 Standard Unisex Brief



#6017 Incontinent Brief



Posey Hipsters can be worn discreetly under clothing.

- Soft foam pads help minimize potential damage that can occur from a fall.
- Low profile, "/i" thick pads allow the Hipster to be virtually undetectable under clothing.
- Discreet low-profile pads with soft foam help improve patient compliance.
- NO ASSEMBLY REQUIRED Completely launderable according to CDC standards for soiled linen WITHOUT removing the pads.
- 100% Latex Free
- Incontinent brief features a snap front for easier application over adult dispers. May also be worn as a male fly model.
- Available in five sizes to ensure proper fit.

S 28°-30°	35" - 37"
27 038 745	
M 32" - 34"	39" - 41"
L 36"- 38"	43" - 45"

See reverse

J.T. Posey Company, 5635 Peck Road, Arcadia, CA 91006-0020 . Phone 800-447-6739 . Fax 800-767-3933 . www.posey.com MKI162 CVEC

Page 3 of 5


Case 1:05-cv-10917-PBS

Document 156-7

Filed 12/11/2006

Posey Hipsters Proven Effective in Laboratory Test

An independent laboratory study was conducted to determine the most effective impact absorbing material as of July 2001. A test was created that would simulate a fall causing direct impact to the greater trochanter. In this study, a weight was released in a guided drop to simulate a 120lb subject falling from a height of 36°, or the estimated height of the hip above the floor for a typical ritissing home resident. The baseline measurement of impact force was determined to be a fail directly onto concrete. The G-Force of a fall under this scenario was 2,660G's and, for purposes of comparison, is just slightly less impact force than that of a baseball being struck by a bat. In this extreme test, the low profile losey Hipster reduced the impact force by 90% and showed excellent impact energy absorption.



Testing was conducted by Garwood Laboratories, July 2001. Data on file at J.T. Posey Company
*Source: www.madsci.org


POSEY CA Care Alternatives Division

For more information or to place an order, contact your Posey District Manager or call 1-800-44-POSEY

PC 1026

J.T. Posey Company, 5635 Peck Road, Arcadia, CA 91006-0020 . Phone 800-447-6739 . Fax 800-767-3933 . www.posey.com

POSEY HIPSTERS PROTECT AGAINST INJURY FROM FALLS




It's a long way down for residents at risk of injury from falls. You can greatly reduce that risk with Posey Hipsters. The Hipsters' high energy-absorbing foam pads are positioned precisely over the hip bones, increasing the odds of surviving a fall uninjured. The Hipsters are comfortable and slim enough to be virtually undetectable under clothing. By offering increased protection, Hipsters relieve residents' anxiety about falling and enhance their quality of life.

- High impact-absorbing viscoelastic pads protect hip bones against injury from falls
- Soft, comfortable pads improve compliance versus hard-shelled products
- Washable to CDC standards for soiled linen without removing the pads
- \$ 100% latex-free
- > Five sizes for correct fit
- Discreet, low-profile pads are virtually undetectable under clothing



Low Profile -All styles fit discreetly under men's and women's clothing. PROVEN IMPACT REDUCTION In an Independent laboratory, simulating a fall from a height of 36 inches, the Hipsters reduced the impact force by over 90%.



Testing was conducted by Garwood Laboratories, July 2001. Data on file at J.T. Posey Company

POSEY CA Care Alternatives Division

PC 0408

Special offer: 30-day no-risk free trial.

Test the Posey Hipsters for yourself with no obligation to buy.

Document 156-7

Filed 12/11/2006

Page 5 of 5

Clinical References Supporting the Use of Hip Protectors

Title:

External Hip Protectors to Prevent Osteoporotic Hip Fractures

Author: Publication: A. Ekman, H. Mallmin, K. Michaëlsson, S. Ljunghall The Lancet, volume 350, August 23, 1997

Study Objectives:

Ekman and colleagues conducted a controlled study on the use of hip protection to prevent hip fractures. One expectation was to either confirm or disprove the 1993 reported findings of J.B. Lauritzen and colleagues in "Effect of external hip protectors on hip fractures."

Results:

The use of hip protectors as preventative treatment for hip fractures was validated. "Our study confirms a

reduced risk for hip fractures of the same magnitude as the previous report."

Recommendations:

"With improved compliance, external hip protectors should be an effective prophylactic against hip fractures."

Title:

Prevention Of Hip Fracture in Elderly People

Author:

Pekka Kannus, M.D., Ph.D., et al

Publication:

The New England Journal of Medicine, Vol. 343, No. 21, November 21, 2000

Study Objectives:

The purpose of this study was "to determine whether an external hip protector would be effective in preventing hip fractures among elderly adults." The study population was comprised of elderly adults from 22 community based health-care centers in Finland; a treatment group of 653 and a control group of 1,148 participants.

Results:

The degree of compliance with the hip protector was 48 ± 29%. The hip protector group suffered 13 hip fractures, 9 of which occurred while not wearing the hip protector, compared to 67 hip fractures in the control group.

Recommendations: "We conclude that the risk of hip fractures can be reduced in frail elderly adults through the use of an anatomically designed external hip protector. Only 41 persons need to use the hip protector for one year (or 8 persons, for five years) in order for one fracture to be prevented."

Please detach and fax to 1-800-767-3933, or call us at 1-800-44-POSEY to start your trial

'I want to take advantage of your 30-day trial offer. Please have a representative call me to discuss Posey Hipsters.



Name				
Title	£	*	aya gelek esti yan ayanda esti a	
Institution). 	e sasar e de la companya de la comp		
Address			•	
City			State	Zip ·
Telephone ()	na i shara a Taga	Best time to ca	ll am pm

Fax or mail to:




J.T. Posey Company Attn: Marketing Dept. 5635 Peck Road Arcadia, CA 91006-0020 Fax 800-767-3933

M6079 121302 .

EXHIBIT 1

PART 6




Document 156-8


Filed 12/11/2006

Page 3 of 6



RESIDENCE PARTIES







Studies have documented the efficacy of external hip protectors in preventing hip fractures. Posey Hipsters feature impact absorbing pads over the critical hip fracture area to minimize potential damage, including hip fractures, that can occur from a fall. The brief is made from comfortable poly-cotton-Lycra with a low profile pad positioned over each hip. These low profile pads are sewn into a slim fitting brief allowing the Hipsters to be discreedy worn under clothing. The one-piece design allows for easy home or institutional laundering.

Hipsters are available in three styles; standard unisex brief, male fly brief, and incontinent models. The standard unisex brief and male fly models easily slip on over undergamments or can be worn as underwear. The incontinent brief features a snap front for easier application over adult diapers. The Hipsters fit comfortably around the patient's waist and feature a latex-free elastic waistband. 47% polyester, 47% cotton, 6% Lycra: Latex-free.

CAT.#	STYLE	
6016 6017	 Hipsters Standard Brief Hipsters Incontinent Brief	
6018	Hipsters Male Ry Brief	*

SIZE		WAIST SIZE	HIP SIZE	the later to the later to the	
S M L	, to a	28-30° 32-34° 36-38°	35-37" 39-41" 43-45"		. *
XI	#1	40-42° 44-46°	47-49° 51-53°	¥.	




Low Profile Both styles fit discreatly under clothing.


PC 1034

1-800-44-POSEY

1-800-44-POSEY

www.posey.com





PC 1035

TALEFACIS.

merteants suffered has fractures at a cast in excess of \$10 billio

Case 1:05-cv-10917-PBS Document 156-8 Filed 12/11/2006

Page 5 of 6



Posey EZ On Hipsters™

In 1996, hospital admissions for hip fractures among people aged 65 and older totaled 340,000 and is expected to exceed 500,000 with a projected annual cost of \$240 billion by the year 2040. Tragically, half of all older adults hospitalized for hip fractures cannot return home or live independently after their injury and about one quarter will die within one year due to the fracture or related complications.2

Several studies have documented the efficacy of external hip protectors in preventing hip fractures. These same studies also point out that patient compliance is a driving factor in product effectiveness. Posey Hipsters feature impact absorbing, soft foam pads over the critical fracture area to help minimize potential damage, including hip fractures that can occur from a fall. The low profile pads allow the Hipsters to be discreetly worn under clothing. These soft pads offer greater comfort when compared to hard shell style hip protectors. Patient comfort, coupled with the low profile design, helps increase patient compliance.

The EZ On Hipsters are applied around the waist and lower thigh using the hook-and-loop attachments, and allow the patients to

wear their own undergarments. The mesh material is water permeable, allowing the EZ On Hipsters to be worn during bathing.

EZ On Hipsters feature removable pads. Although the pads are removable, the Hipsters can be laundered with the pads in place. Removing the pads prior to laundering will help prolong the life of the product.

While no product can provide complete protection from hip fractures, Posey Hipsters will help to minimize the potential for damage that can occur from a fall.

#6019 EZ On Hipsters #6008 Replacement Pads, 1 pair

Application Instructions

1. Unfasten the hook and loop at the waist and thighs.

2. Wrap the garment around your waist. The labels should be oriented towards the back and on the inside of the waistband.

3. Fasten the hook and loop at the front of your waist. The waistband should be securely fastened to allow minimal shifting of the garment but should not feel tight or restrictive.

4. Pull the left panel taut over the left hip and thigh. The pad should be positioned directly over the hip joint.

Secure around the lower thigh using the hook and loop attachment. The elastic band should be tight enough to prevent the pad from sliding out of place without restricting circulation.

6. Repeat steps 4 and 5 on right side.

Laundering Instructions


Posey Hipsters may be washed according to CDC standards (see symbols below). Using the lower temperature washing and drying cycle for non-contaminated linen will prolong product life.

If hook and loop does not adhere, it is most likely due to a

collection of lint. Clean hook by brushing with a stiff brush. If pads are removed, wipe clean with mild, liquid disinfectant before replacing in the pants.







#6019

A - Price + Sizing Chart + 4 - + C -					
Stze	Waist Measurement	Hip Measurement			
S	28" - 30"	35* - 37*			
M	32" - 34"	39" - 41"			
L	36" - 38"	43" - 45"			
XL	40*- 42*	47" - 49"			
XXI.	44"- 48"	51" - 53"			

AWARNING

Due to the random possibilities of fall characteristics, the Posey Company makes no guarantee, express or implied, that the user is protected from hip trauma. The skin under the pants should be assessed regularly and Hipsters should be changed and washed after each incontinent episode to prevent skin breakdown.

AWARNING

· Posey Hipsters contain foam pads that are sealed in a pouch to protect the foam.

· If the pouch is cut or the seal is broken in laundering, moisture will enter the pouch and compromise the impact absorption quality of the foam.

· Test pouch and foam integrity by squeezing the pad in one fist, forcing the air to one end, resulting in an air bubble.

If you hear or feel air or liquid escaping, or the foam feels soft and spongy, the pouch is damaged.

Remove the damaged pouch and replace with a

ice, M.D., M.P.H. (2000) Hip Protectors - A Breakthrough in Fracture Provension. The New England Journal of Medici se Control and Prevention, 3 Aug 2001, www.cdc.g J.T. Posey Company 5635 Peck Road • Artadia, CA 91006-0020 USA • Tel: 800-447-6739 or 626-443-3143 • Fax: 800-757-3933 or 626-443-5014 • www.posey.com EU AUTH, PERSON: (MDD 93/42/EEC) MDSS GmbH, Burdchardist: 1, D-30163, Hambover, Germany

© 2002 J.T. Posey Company, All rights reserved.

M5017 062003

Document 156-8

Filed 12/11/2006

Page 6 of 6

Clinical References Supporting the Use of Hip Protectors

Title:

External Hip Protectors to Prevent Osteoporotic Hip Fractures

Author: Publication: A. Ekman, H. Mallmin, K. Michaelsson, S. Ljunghall The Lancet, volume 350, August 23, 1997

Study Objectives:

Ekman and colleagues conducted a controlled study on the use of hip protection to prevent hip fractures. One expectation was to either confirm or disprove the 1993 reported findings of J.B. Lauritzen and colleagues in "Effect of external hip protectors on hip fractures."

Results:

The use of hip protectors as preventative treatment for hip fractures was validated. "Our study confirms a reduced risk for

hip fractures of the same magnitude as the previous report.

Recommendations: With improved compliance, external hip protectors should be an effective prophylactic against hip fractures.

Title:

Prevention Of Hip Fracture in Elderly People

Author:

Pekka Kannus, M.D., Ph.D., et al

Publication:

The New England Journal of Medicine, Vol. 343, No. 21, November 21, 2000

Study Objectives:

The purpose of this study was "to determine whether an external hip protector would be effective in preventing hip fractures among elderly adults." The study population was comprised of elderly adults from 22 community based

health-care centers in Finland; a treatment group of 653 and a control group of 1,148 participants.

Results:

The degree of compliance with the hip protector was 48 ± 29%. The hip protector group suffered 13 hip fractures,


9 of which occurred while not wearing the hip protector, compared to 67 hip fractures in the control group.

Recommendations: "We conclude that the risk of hip fractures can be reduced in frail elderly adults through the use of an anatomically designed external hip protector. Only 41 persons need to use the hip protector for one year (or 8 persons, for five

years) in order for one fracture to be prevented.

Posey Hipsters Proven Effective in Laboratory Test

An independent laboratory study was conducted to determine the most effective impact absorbing material as of July 2001. A test was created that would simulate a fall causing direct impact to the greater trochanter. In this study, a weight was released in a guided drop to simulate a 120lb subject falling from a height of 36", or the estimated height of the hip above the floor for a typical nursing home resident. The baseline measurement of impact force was determined to be a fall directly onto concrete. The G-Force of a fall under this scenario was 2,660G's and, for purposes of comparison, is just slightly less impact force than that of a baseball being struck by a bat. In this extreme test, the low profile Posey Hipster reduced the impact force by 90% and showed excellent impact energy absorption.




Testing was conducted by Garwood Laboratories, July 2001. Data on file at J.T. Posey Company

J.T. Posey Company, 5635 Peck Road. Arcadia, CA 91006-0020 • Phone 800-447-6739 • Fax 800-767-3933 • www.posey.com

EXHIBIT 1

PART 7



Posey® EZ On Hipsters

In 1996, hospital admissions for hip fractures among people aged 65 and older totaled 340,000 and is expected to exceed 500,000 with a projected annual cost of \$240 billion by the year 2040. Tragically, half of all older adults hospitalized for hip fractures cannot return home or live independently after their injury and about one quarter will die within one year due to the fracture or related complications.

Several studies have documented the efficacy of external hip protectors in preventing hip fractures. These same studies also point out that patient compliance is a driving factor in product effectiveness. Posey Hipsters feature impact absorbing, soft foam pads over the critical fracture area to help minimize potential damage, including hip fractures that can occur from a fall. The low profile pads allow the Hipsters to be discreetly worn under clothing. These soft pads offer greater comfort when compared to hard shell style hip protectors. Patient comfort, coupled with the low profile design, helps increase patient compliance.

The EZ On Hipsters are applied around the waist and lower thigh using the hook-and-loop attachments, and allow the patients to wear their own undergarments. The mesh material is water permeable, allowing the EZ On Hipsters to be worn during bathing.

EZ On Hipsters feature removable pads. Although the pads are removable, the Hipsters can be laundered with the pads in place. Removing the pads prior to laundering will help prolong the life of the product.

While no product can provide complete protection from hip frac-tures. Possy Hipsters will help to minimize the potential for damage that can occur from a fall.

#6019 EZ On Hipsters #6008 Replacement Pads, 1 pair

Application instructions

Unlasten the hook and loop at the waist and thighs.

2. Wrap the garment around your waist. The labels should be oriented towards the back and on the inside of the waisthand

 Faster the book and loop at the front of your waist. The waisthand should be securely fastered to allow minimal shifting of the garment but should. not leel right or restrictive.

 Pull the left panel tant over the left hip and thigh. The pad should be positioned directly over the hip joint.
 Secure around the lower thigh using the hook and loop anachment. The elastic band should be tight enough to prevent the pad from sliding out of place without restricting circulation.

6. Repeat steps 4 and 5 on right side.

Laundering Instructions


For longest garment life wash hot, dry on low and bleach as on container. "Studies have shown that a satisfactory reduct microbial contamination can be achieved at water temperature than 160°F if laundry chemicals suitable for low-temperature was are used at proper concentrations. In the hould mornal washing drying cycles including 'hot' or 'cold' cycles are alequate to el patient salety. Instructions of the manufacturers of the machine the detergent or wash additive should be followed and drying cycles with higher temperatures if


If hook and loop does not adhere, it is massakely due to a collection of lint. Clean hook by brushing with a stiff basis. If pads are removed, where clean with mile linked distinct and

before replacing in the parts









#6019

I.v	String Char	
Size	Walst Measurement	Hip Measurement
·S	28"-30"	35" - 37"
M	32"-34"	39" - 41"
Ĺ	36"- 38"	43" - 45"
X T.	40"- 42"	47" - 49"
XXI	44"-48"	51",-53"

AWARNING

Due to the random possibilities of fall characteristics, the Posey Company makes no guarantee, express or implied, that the user is protected from juma. The skin under the parits should be ed regularly and Hipsters should be changed asked after each incontinent episode to preskin breakdown.

AWARNING

ey Hipsters contain foam pads that are sealed a pouch to protect the foam.

he pouch is cut or the seal is broken in laundermoisure will enter the pouch and compromise impact absorption quality of the foam.

It pouch and foam integrity by squeezing the add in one fist, forcing the air to one end, saliting in an air bubble.

Byou hear or feel air or liquid escaping, or the gam leels soft and spongy, the pouch is damaged. Remove the damaged pouch and replace with a

Takan ing kalangan in war M.D., M.EH. (2000) His Poster suit Provideri. The New England Journal of Malicinic 3 Carter for Disc

J.T. Posey Company 5635 Pect Read - Aradia CA-91006-0020 USA - Tet 800-447-6739 or 626-443-3143 - Far-800-767-3933 or 626-443-5014 - www.pasey.com (EVAINT PERSON 0400-0000 USA) - Tet 800-447-6739 or 626-443-3143 - Far-800-767-3933 or 626-443-5014 - www.pasey.com (EVAINT PERSON 0400-0000 USA) - Tet 800-447-6739 or 626-443-3143 - Far-800-767-3933 or 626-443-5014 - www.pasey.com

PC 1071

2/cm 10/1/A

Document 156-9

Filed 12/11/2006

in wings this will be

A. Horal M.

or Address of the States

A STATE OF THE PARTY OF THE PAR

Clinical References Supporting the Use of Hip Protectors

Title: Author. Publication: External Hip Protectors to Prevent Osteoporotic Hip Fractures A. Ekman, H. Mallmin, K. Michaelsson, S. Ljunghall The Lancer, volume 350, August 23, 1997

Study Objectives:

Eleman and colleagues conducted a commolled study on the use of hip protection to prevent hip fractures. One expectation was to either confirm or disprove the 1993 reported findings of J.B. Lauritzen and colleagues in "Effect of external hip protectors on hip fractures."

Results:

The use of hip protectors as preventative treatment for hip fractures was validated. "Our study confirms a reduced risk for

Recommendations: With improved compliance, engineering projection (should be at the divisor compliance)

hip fractures of the same magnitude as the previous report."

Prevention Of Hip Fracture in Elderly People

Author. Publication:

Title:

Pekka Kannus, M.D., Ph.D., et al The New England Journal of Medicine, Vol. 343, No. 21, November 21, 2000

Study Objectives:

The purpose of this study was to determine whether an external hip protector would be effective in preventing hipfractures among elderly adults." The study population was comprised of elderly adults from 22 community based health-care centers in Finland; a treatment group of 653 and a control group of 1,148 participants.

Results:

The degree of compliance with the hip protector was 48 ± 29%. The hip protector group suffered 13 hip fractures 9 of which occurred while not wearing the hip protector, compared to 67 hip fractures in the control group.

through the strength

ion in the distriction of

and the same

ME WAS TO LONG LAND


956 B. 3

The country of the party of the party.

We conclude that the risk of hip fractures can be reduced in Irall elderly adults through the use of an anatomically

Posey Hipsters Proven Effective in Laboratory Test

Art independent laboratory study was conducted to determine the most effective impact absorbing material as of July 2001. A test was created that would simulate a fall causing direct impact to the greater trochanter. In this study, a weight was released in a guided drop to simulate a 120lb subject falling from a height of 36°, or the estimated height of the hip above the floor for a typical nursing home resident. The baseline measurement of impact force was determined to be a fall directly onto concrete. The G-Force of a fall under this scenario was 2,660G's and, for purposes of contiparison, is just slightly less impact force than that of a baseball being struck by a bat. In this extreme test, the low profile Posey Hipster reduced the impact force by 90% and showed excellent impact energy absorption.



J.T. Posey Company, 5635 Peck Road, Arcadia, CA 91006-0020 . Phone 800-447-8739. Fax 800-767-3933 . www.posey.com

H25 000063



injury from falls. You can greatly reductivate risk with Posey Hippiers. The Hipsi





O



Posey Hipsters Proven Effective in Laboratory Test

Essily fits over undergarments, or car bowns.

POSEY #5017 INCONTINENT BRIEF C UNDER String.

5 #6016H Standard Brief with high defability pack.

D slip front for easter application over of the control of the con

POSOT #6018 MALE FLY BRIEF S Easily fits over undergaments, or can be wom as underwear.

5 FTC out for Improved compliance irgnale residents. 5 40:18H Male Fy Brief with high dephility pacts.

POSEY #6019 EZ-ON BRIEF Reddents can wear their own undergarments. A be worn in the showe

15 High pads can be removed for lagndering or replacement.
15 #6919H EZ-ON Brief with high durability pad.

1.31

Washable to CDC standards for solled linen

Discreet, low-profile pads are virtually undetactable under dothing

Five sizes for correct fit 100% fatex-free


Document 156-9

Filed 12/11/2006

Page 5 of 6

FOR SOME RESIDENTS, EVERY FALL IS A BIG ONE







POSEY HIPSTERS HELP PROTECT AGAINST INJURY FROM FALLS



It's a long way down for residents at risk of injury from falls. You can greatly reduce that risk with Posey Hipsters. The Hipsters' high energy-absorbing foam pads are positioned precisely over the hip bones, increasing the odds of surviving a fall uninjured. The Hipsters are comfortable and slim enough to be virtually undetectable under clothing. By offering increased protection, Hipsters relieve residents' anxiety about falling and enhance their quality of life.

- High impact-absorbing viscoelastic pads protect hip bones against injury from falls
- Soft, comfortable pads improve compliance versus hard-shelled products
- Washable to CDC standards for soiled linen without removing the pads
- 15, 100% latex-free
- Five sizes for correct fit
- Discreet, low-profile pads are virtually undetectable under clothing




Low Profile -All styles fit discreetly under men's and women's clothing.



Posey Hipsters Proven Effective in Laboratory Test

An independent laboratory study was conducted to determine the most effective impact absorbing material. A test was created that would simulate a fall causing direct impact to the greater trochanter. In this study, a weight was released in a guided drop to simulate a 120 lb. subject falling from a height of 36", or the estimated height of the hip above the floor for a typical nursing home resident. The baseline measurement of impact force was determined to be a fall directly onto concrete. The G-Force of a fall under this scenario was 2,660G's and, for purposes of comparison, is just slightly less impact force than that of a baseball being struck by a bat. In this extreme test, the low profile Posey Hipster reduced the impact force on average by 90% and showed excellent impact energy absorption.



Testing was conducted by Garwood Laboratories.

Data on file at J.T. Posey Company "Source: www.madsci.org

Special offer: 30-day no-risk free trial.

Test the Posey Hipsters for yourself with no obligation to buy.

Document 156-10

Filed 12/11/2006

Page 2 of 7









POSEY #6016 HIPSTERS STANDARD BRIEF

- Easily fits over undergarments, or can be worn as underwear.
- Unisex sizing.



#6016H Standard Brief with high durability pads.

POSEY #6017 INCONTINENT BRIEF

- Snap front for easier application over diaper. Unisex sizing.
- #6017H Incontinent Brief with high durability pads.

POSEY #6018 MALE FLY BRIEF

- Easily fits over undergarments, or can be worn as underwear.
- Fly front for improved compliance in male residents.



#6018H Male Fly Brief with high durability pads.

POSEY #6019 EZ-ON BRIEF

- Residents can wear their own undergarments.
- Lan be worn in the shower.
- Hip pads can be removed for laundering or replacement.



#6019H EZ-ON Brief with high durability pad.

1		SIZING CH	ART CONTROL
	Size	Waist Measurement	Hip Measurement
	S	28" - 30" or 71 - 76cm	35"-37" or 88-93cm
1	М	30" - 34" or 76 - 86cm	37" - 41" or 93'- 104cm
		34"-38" or 86-96cm	
		38"-42" or 96 - 106cm	
	XXL	42"-46" or 106 - 116cm	49" - 53" or 124 - 134cm

Posey High Durability Hipsters contain denser foam than the standard Hipsters. This increased density aids in its ability to withstand higher hot washing and drying cycles.

LAUNDERING INSTRUCTIONS:

Hipsters







High Durability Hipsters 180°F 12°C WASH NOT BLE

CEL LEACH AS DIRECTED ON CONTAINER





J T Posey Company Arcadia, CA 91006 USA Tel: 800-447-6739 www.posey.com

Document 156-10

Filed 12/11/2006

Page 3 of 7

Clinical-References Supporting the Use of Hip Protectors

Title:

External Hip Protectors to Prevent Osteoporotic Hip Fractures

A. Ekman, H. Mallmin, K. Michaëlsson, S. Ljunghall The Lancet, volume 350, August 23, 1997

Publication: Study Objectives:

Ekman and colleagues conducted a controlled study on the use of hip protection to prevent hip fractures. One expectation was to either confirm or disprove the 1993 reported findings of J.B. Lauritzen and colleagues in "Effect of exter-

nal hip protectors on hip fractures."

Results:

The use of hip protectors as preventative treatment for hip fractures was validated. "Our study confirms a

reduced risk for hip fractures of the same magnitude as the previous report."

Recommendations:

With improved compliance, external hip protectors should be an effective prophylactic against hip

Title: Author: Prevention Of Hip Fracture in Elderly People

Pekka Kannus, M.D., Ph.D., et al

Publication:

The New England Journal of Medicine, Vol. 343, No. 21, November 21, 2000

Study Objectives:

The purpose of this study was "to determine whether an external hip protector would be effective in preventing hip fractures among elderly adults." The study population was comprised of elderly adults from 22 community based health-care centers in Finland; a treatment group of 653 and a control group of 1,148 participants.

Results:

The degree of compliance with the hip protector was $48 \pm 29\%$. The hip protector group suffered 13 hip fractures, 9 of which occurred while not wearing the hip protector, compared to 67 hip fractures in the control group.

Recommendations:

Posey Hipsters can be washed according to CDC guidelines for soiled linen. Hipsters with high durability pads are designed to withstand laundering in large capacity machines at higher temperature hot (180°) washing and high temperature drying cycles.

Due to the random possibility of falls, the Posey Company makes no guarantee, express or implied, that the user is protected from hip trauma.

Please detach and fax to1-626-443-5014, or call us at 1-800-44-POSEY to start your trial

yes!

I want to take advantage of your 30-day trial offer. Please have a representative call me to discuss Posey Hipsters.



Telephone ()	'5'		Best time to	call	BID.	pm
City	 		State	Zip		خسسن
Address	 		<u> </u>			10000
Institution						
Ticle		ببنينين				
Name	 					

Fax or mail to:



J.T. Posey Company Attn: Marketing Dept. 5635 Peck Road Arcadia, CA 91006-0020 USA Fax 626-443-5014 www.posey.com

PC 1746

M6079 010305

EXHIBIT 1

PART 8

Clinical References Supporting the Use of Hip Protectors

External Hip Protectors to Prevent Ostaoporotic Hip Fractures A. Elmun, H. Mallmin, K. Michaelmon, S. Ljenghall The Lancet, volume 350, August 23, 1997

Eterns and colleagues conducted a controlled mady on the use of his proceeders to prevent his few totion was to either confirm or disprove the 1993 reported findings of J.B. Lawtons and colleagues

"We conclude that the risk of hip fracture tan be reduced in fail elderly adults through the use of an annualically designed external hip protector. Only 41 persons need to use the hip protectors for one year (or 8 persons, for five years) in order for one fracture to be prevented." The degree of compilance with the hip protector was 48 ± 29%. The hip protector group suffered 13 hip fractures, 9 of which occurred while not wearing the hip protector, compared to 67 hip fractures. "With improved compilance, enternal hip prenoctors should be an effective prophylactic against hip factures." The purpose of this study was "to determine whether as external hip processor would be effective is preventing hip fractors among elderly solules." The mody population was comprised of elderly solul from 22 community based health-care centers in Finland; a treatment group of 653 and a control The use of hip protection as preventualive trainment for hip fractures was validated. *Our randy confirms reduced risk for hip fractures of the same magnitude as the previous report .* Prevention Of Hip Fracture in Elderly. People
Pekka Kanne, M.D., Ph.D., et al
The New England Journal of Medicina, Vol. 343, No. 21, November 21, 2000 nd his pronceors on his fractures." proup of 1,148 participants. In the control group.

Posey Hipaters can be washed according to CDC guidelines for soiled linen. Hipaters with high dambility pada are designed to withstand laundering in large capacity machines at higher temperature hot (1807) washing and high

Due to the random possibility of falls, the Possy Compainy makes no guarantees, express or implied, that the user is pro-rected from hip traums. emperature drying cycles.

Please detach and fac to 1-436 -448 FOIA, is sail as et 1-400-44-205ay to start your


Please have a representative call advancage of year 30-day trial offer.

went to take yes!

me to discuss Posty Hipsters.


J.T. Poncy Company
Ann Marketing Dept.
5635 Pont Road
Arcada, CA. 91006-0000 USA
For 626-443-5014 Fax or saall to:

FOR SOM






It's a long way down for residents at risk of injury from failt. You can greatly reduce that risk with Passy Highers. The Hiptorn high energy-absorbing from pads are positioned precisely over the hip bones, increasing the odds of surviving a fail uninjured. The Hipsters are comfortable and slim enough to be virtually underectable under clothing. By offering increased protectable under clothing. By offering increased protectable Hipsters relieve residents' anxiety about falling and enhance their quality of life.



E. Soft, comfortable pads improve compliance versus hard-shelled products Washable to CDC standards for soiled linen without removing the pads









Posey Hipsters Proven Effective in Laboratory Test

m a height of 30°, or the estimated heights of the him with Boor for a typical tuning a long water student. It the measurement of impact forward section. If all directly onto concrete. The Cifcore of a full directly onto concrete. The Cifcore of a full with water water than that of a backfull is largery factor than that of a backfull is they a has, in this current eat, whe low gradity he ter reduced the impact force on average by 90% a vet excellent impact strengy absorption.

ž:	-1	40	1		
) <u>(</u>		ı.	.	0	1
	- 1	4	9	1.1	1
		14 '	75		
	-1	1	Г	41	1
	30		_13	11	,
				131	i
	-	2			
	- F	-1	1	- 11	
- 11		1.	10	9	
				ı £1	
	- O.		Πij	10	- 5
			Įξ	-41	1
- 1	- 1		L	- 14	1
	100				
~ ?			. 1	H	
			71	21	
_		÷		41	
़ 🖠		, \$.;	-	-	
***	•			. 6	
					10
-	X.	2 .			R
ā	. a.	5.7	왕	-	80
H -		P4 (1)	-	₫.	
- 5	# T.	X B	K D	- 45	_

Test the Posey Hipsters for yourself with no obligation to buy, Special offer: 30-day no-risk free trial.

E. Easily fits over undergarments, or can be worn as underwear. B. Unisex string.
B. #6016H Standard Brief with high durability pack.

POSEY #6017 INCONTINENT BRIEF Shap front for easter application over diaper. Unisex sizing.

\$ #6017H incontinent Brief with high durability pack.

POSEY #6018 MALE FLY BRIEF

Essily fits over undergarments, or can be worm as underwear. S. Fly front for Improved compliance in male residents.

\$ #6018H Male Fly Brief with high durability pads.

POSEY #6019 EZ-ON BRIEF Residents can wear their own undergaments.

The Can be worn in the shower.

The Hip pads can be removed for itsundering or replacement.

The 46019H EZ-ON Brief with high durability pad.

Hip Measurament	1 12 . Mr. or 71 . Man 35 . 37 or 48 . Storn	37 - 41' or 59 - 104cm	41"-45" or 104-114cm	45 . 45 at 14 . 124cm	49 . SF or 124 . 134cm	Poster High Curability Whether controls decree from these
ist Measurement His	. XX* or 71 - 74cm	-M. or 76-16m	18. or 16. Sem	-42° or 96 - 106om	-46" or 106 - 116em	Durah Bir Hibston
Size Wa	*	×	- X	×	XX C.	Poster Hinth C

LAUNDERING INSTRUCTIONS







PC 0401

Discreet, fow-profile pads are virtually undetectable under dothing

Five sizes for correct fit 5 100% latex-free

Case 1:05-cv-109175PBS05 1905ument 156-10

Filed 12/11/2006



Posey® Hipsters™

Posey Hipsters feature impact absorbing, soft foam pads over the critical fracture area to help minimize potential damage, including hip fractures that can occur from a fall.

Hipsters are available in four styles:

- · Standard Unisex Brief easily fits over undergarments, or can be worn as underwear.
- Incontinent Brief features a snap front for easier application over adult diapers.
- Male Fly Brief easily fits over undergarments, or can be worn as underwear.
- EZ-On Brief features a crotchless design that allows patients to wear their own undergarments. The mesh material is water permeable, allowing the EZ On Hipster to be worn during bathing.

All Hipsters are available with original foam padding, or high durability padding designed to withstand laundering in large capacity machines at higher temperature hot washing cycles.

REF 6016 Hipsters, Standard Brief

6017 Hipsters, Incontinent Brief

随了 6018 Hipsters, Male Fly Brief

郦 6019 Hipsters, EZ On

REF 6008 Replacement Pads, 1 pair

[60] 6016H Hipsters, High Durability Pads, Standard Brief

6017H Hipsters, High Durability Pads, Incontinent Brief

ED 6018H Hipsters, High Durability Pads, Male Fly Brief
6019H Hipsters, High Durability Pads, EZ On
6008H Replacement High Durability Pads, 1 pair


Application instructions:

Standard, Male Fly and Incontinent Brief Models With the Posey label in the back, put the Hipsters on as you would a pair of shorts, sliding them gently over the hips. Adjust to assure that the foam pads are properly aligned with and cover the hip joint.

EZ On Model

- 1. Unfasten the hook and loop at the waist and thighs.
- 2. Wrap the garment around your waist. The labels should be at the back and on the inside of the waistband.
- 3. Fasten the hook and loop at the front of your waist. The waistband should be securely fastened to allow minimal shifting of the garment, but should not feel tight or restrictive.
- 4. Pull the left panel taut over the left hip and thigh. The pad should be positioned directly over the hip joint.
- 5. Secure the leg band around the lower thigh using the hook and loop attachment. The elastic band should be tight enough to prevent the pad from sliding out of place without restricting circulation.
- Repeat steps 4 and 5 on the right side.

for Disease Control and Prevention, 27 Aug 2004, wantedcoopinglad/him/Surd-Ray









Laundering Instructions

Posey Hipster with High Durability pads are designed to withstand laundering in higher temperature hot washing cycles. Hipsters can be washed according to CDC guidelines for soiled linen. However, using the lower temperature washing and drying cycle for non-contaminated linen will prolong product life. "Studies have shown that a satisfactory reduction of microbial contamination can be achieved at water temperatures lower than 160°F if laundry chemicals suitable for lower-temperature washing are used at proper concentrations. In the home, normal washing and drying cycles including 'hot' or 'cold' cycles are adequate to ensure patient safety. Manufacturers instructions for the machine and the detergent or wash additive should be followed closely."

- Adhere hook and loop straps before laundering to prevent lint build-up on hook during laundry cycle. If hook and loop does not adhere due to lint, clean hook material with a stiff brush.
- If EZ On pads are removed, wipe clean with mild, liquid disinfectant before replacing in the pants.

Hipsters





High Durability Hipsters

Size	Waist Measurement	Hip Measurement
5	28" - 30" or 71 - 76cm	35" - 37" or 88 - 93cm
М	30" - 34" or 76 - 86cm	37"-41" or 93 - 104cm
L	34"-38" or 86-96cm	41"-45" or 104-114cm
XL	38"-42" or 96-106cm	45" - 49" or 114 - 124cm
XXL	42"-46" or 106-116cm	49" - 53" or 124 - 134cm

J.T. Posey Company

5635 Peck Road * Arcadia, CA 91006-0020 USA * Tel: 800-447-6739 or 626-443-3143 * Fax: 800-767-3933 or 626-443-5014 * www.posey.com D 2004 J.Y. Posey Company, All rights reserved.

EC REP Burch

Document 156-10

Filed 12/11/2006

Page 5 of 5 Page 7 of 7

AWARNING

Due to the random possibility of falls, the Posey Company makes no guarantee, express or implied, that the user is protected from hip trauma. The skin under the pants should be assessed regularly and Hipsters should be changed and washed after each incontinent episode to prevent skin breakdown.

Posey Hipsters contain foam pads that are sealed in a pouch to protect it from water. If the pouch is cut or the seal is broken during laundering, moisture will enter the pouch and may result in waterlogged foam. Waterlogged foam encased in the pouch may promote the growth of bacteria.

- Test the foam and pouch integrity by squeezing the pad in one fist, forcing the air to one end, resulting in an air bubble.
- If you hear or feel liquid or air escaping, the pouch is damaged.
- If the pouch is damaged, discontinue use and discard.

Clinical References Supporting the Use of Hip Protectors

Title:

7 . •

External Hip Protectors to Prevent Osteoporotic Hip Fractures

Author: Publication: A. Ekman, H. Mallmin, K. Michaelsson, S. Ljunghall The Lancet, volume 350, August 23, 1997

Study Objectives: Ekman and colleagues conducted a controlled study on the use of hip protection to prevent hip fractures. One expectation was to either

confirm or disprove the 1993 reported findings of J.B. Lauritzen and colleagues in "Effect of external hip protectors on hip fractures."

Results:

The use of hip protectors as preventative treatment for hip fractures was validated. "Our study confirms a reduced risk

for hip fractures of the same magnitude as the previous report ."

Recommendations: "With improved compliance, external hip protectors should be an effective prophylactic against hip fractures."

Title: Author: Prevention Of Hip Fracture in Elderly People

Pekka Kannus, M.D., Ph.D., et al

Publication:

The New England Journal of Medicine, Vol. 343, No. 21, November 21, 2000

Study Objectives:

The purpose of this study was "to determine whether an external hip protector would be effective in preventing hip fractures among elderly adults." The study population was comprised of elderly adults from 22 community based health-care centers in Finland; a treatment group of 653 and a control group of 1,148 participants.


Results:

The degree of compliance with the hip protector was 48 ± 29%. The hip protector group suffered 13 hip fractures, 9 of which occurred while not wearing the hip protector, compared to 67 hip fractures in the control group.

Recommendations: "We conclude that the risk of hip fractures can be reduced in frail elderly adults through the use of an anatomically designed external hip protectors. Only 41 persons need to use the hip protector for one year (or 8 persons, for five years) in order for one fracture to be prevented !-

Posey Hipsters Proven Effective in Laboratory Test

An independent laboratory study was conducted to determine the most effective impact absorbing material. A test was created that would simulate a fall causing direct impact to the greater trochanter. In this study, a weight was released in a guided drop to simulate a 120 lb. subject falling from a height of 36", or the estimated height of the hip above the floor for a typical nursing home resident. The baseline measurement of impact force was determined to be a fall directly onto concrete. The G-Force of a fall under this scenario was 2,660G's and, for purposes of comparison, is just slightly less impact force than that of a baseball being struck by a bat. In this extreme test, the low profile Posey Hipster reduced the impact force on average by 90% and showed excellent impact energy absorption.



Testing was conducted by Garwood Laboratories. Data on file at J.T. Posey Company "Source: www.madscl.org

J.T. Posey Company, 5635 Peck Road, Arcadia, CA 91006-0020 • Phone 800-447-6739 • Fax 800-767-3933 • www.posey.com